

289-432

1-144

32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Table with 32 columns and 32 rows. Columns are labeled MONITOR - IN and MONITOR - OUT. Contains connector numbers and their corresponding video and audio port ranges.

Legend:
xxx video port number
yyy-zz audio port range

OUTPUTS
RF0275-02 06 Jan 2011
NV8576-Plus, Frame 1, Connector Numbers—Hybrid (Embedder and De-embedder) as seen from the rear of the frame

289-432

1-144

32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Table with 32 columns and 32 rows. Columns are labeled MONITOR - IN and MONITOR - OUT. Contains connector numbers and their corresponding video and audio port ranges.

INPUTS
RF0275-02 06 Jan 2011
NV8576-Plus, Frame 1, Connector Numbers—Hybrid (Embedder and De-embedder) as seen from the rear of the frame

433-576

145-288

64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33

Table with 32 columns and 32 rows. Columns are labeled MONITOR - IN and MONITOR - OUT. Contains connector numbers and their corresponding video and audio port ranges.

INPUTS
RF0275-02 06 Jan 2011
NV8576-Plus, Frame 1, Connector Numbers—Hybrid (Embedder and De-embedder) as seen from the rear of the frame

433-576

145-288

64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33

Table with 32 columns and 32 rows. Columns are labeled MONITOR - IN and MONITOR - OUT. Contains connector numbers and their corresponding video and audio port ranges.

OUTPUTS
RF0275-02 06 Jan 2011
NV8576-Plus, Frame 1, Connector Numbers—Hybrid (Embedder and De-embedder) as seen from the rear of the frame

Legend:
xxx video port number
yyy-zz audio port range

289-432																1-144															
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
MONITOR - OUT																															
MONITOR - IN																															
424	415	406	397	388	379	370	361	352	343	334	325	316	307	298	289	136	127	118	109	100	91	82	73	64	55	46	37	28	19	10	1
425	416	407	398	389	380	371	362	353	344	335	326	317	308	299	290	137	128	119	110	101	92	83	74	65	56	47	38	29	20	11	2
426	417	408	399	390	381	372	363	354	345	336	327	318	309	300	291	138	129	120	111	102	93	84	75	66	57	48	39	30	21	12	3
427	418	409	400	391	382	373	364	355	346	337	328	319	310	301	292	139	130	121	112	103	94	85	76	67	58	49	40	31	22	13	4
428	419	410	401	392	383	374	365	356	347	338	329	320	311	302	293	140	131	122	113	104	95	86	77	68	59	50	41	32	23	14	5
429	420	411	402	393	384	375	366	357	348	339	330	321	312	303	294	141	132	123	114	105	96	87	78	69	60	51	42	33	24	15	6
430	421	412	403	394	385	376	367	358	349	340	331	322	313	304	295	142	133	124	115	106	97	88	79	70	61	52	43	34	25	16	7
431	422	413	404	395	386	377	368	359	350	341	332	323	314	305	296	143	134	125	116	107	98	89	80	71	62	53	44	35	26	17	8
6769-6832	6625-6688	6481-6544	6337-6400	6193-6256	6049-6112	5905-5968	5761-5824	5617-5680	5473-5536	5329-5392	5185-5248	5041-5104	4897-4960	4753-4816	4609-4672	2161-2224	2017-2080	1873-1936	1729-1792	1585-1648	1441-1504	1297-1360	1153-1216	1009-1072	865-928	721-784	577-640	433-496	289-352	145-208	1-64

Legend:
 --- video port number
 xxx --- audio port range
 yy-zz

OUTPUTS
 NV8576-Plus, Frame 1, Connector Numbers—SDI + TDM
 (as seen from the rear of the frame)

289-432																1-144															
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
MONITOR - OUT																															
MONITOR - IN																															
424	415	406	397	388	379	370	361	352	343	334	325	316	307	298	289	136	127	118	109	100	91	82	73	64	55	46	37	28	19	10	1
425	416	407	398	389	380	371	362	353	344	335	326	317	308	299	290	137	128	119	110	101	92	83	74	65	56	47	38	29	20	11	2
426	417	408	399	390	381	372	363	354	345	336	327	318	309	300	291	138	129	120	111	102	93	84	75	66	57	48	39	30	21	12	3
427	418	409	400	391	382	373	364	355	346	337	328	319	310	301	292	139	130	121	112	103	94	85	76	67	58	49	40	31	22	13	4
428	419	410	401	392	383	374	365	356	347	338	329	320	311	302	293	140	131	122	113	104	95	86	77	68	59	50	41	32	23	14	5
429	420	411	402	393	384	375	366	357	348	339	330	321	312	303	294	141	132	123	114	105	96	87	78	69	60	51	42	33	24	15	6
430	421	412	403	394	385	376	367	358	349	340	331	322	313	304	295	142	133	124	115	106	97	88	79	70	61	52	43	34	25	16	7
431	422	413	404	395	386	377	368	359	350	341	332	323	314	305	296	143	134	125	116	107	98	89	80	71	62	53	44	35	26	17	8
6769-6832	6625-6688	6481-6544	6337-6400	6193-6256	6049-6112	5905-5968	5761-5824	5617-5680	5473-5536	5329-5392	5185-5248	5041-5104	4897-4960	4753-4816	4609-4672	2161-2224	2017-2080	1873-1936	1729-1792	1585-1648	1441-1504	1297-1360	1153-1216	1009-1072	865-928	721-784	577-640	433-496	289-352	145-208	1-64

INPUTS
 NV8576-Plus, Frame 1, Connector Numbers—SDI + TDM
 (as seen from the rear of the frame)

433-576																145-288															
64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33
MONITOR - OUT																															
MONITOR - IN																															
569	560	551	542	533	524	515	506	497	488	479	470	461	452	443	434	281	272	263	254	245	236	227	218	209	200	191	182	173	164	155	146
570	561	552	543	534	525	516	507	498	489	480	471	462	453	444	435	282	273	264	255	246	237	228	219	210	201	192	183	174	165	156	147
571	562	553	544	535	526	517	508	499	490	481	472	463	454	445	436	283	274	265	256	247	238	229	220	211	202	193	184	175	166	157	148
572	563	554	545	536	527	518	509	500	491	482	473	464	455	446	437	284	275	266	257	248	239	230	221	212	203	194	185	176	167	158	149
573	564	555	546	537	528	519	510	501	492	483	474	465	456	447	438	285	276	267	258	249	240	231	222	213	204	195	186	177	168	159	150
574	565	556	547	538	529	520	511	502	493	484	475	466	457	448	439	286	277	268	259	250	241	232	223	214	205	196	187	178	169	160	151
575	566	557	548	539	530	521	512	503	494	485	476	467	458	449	440	287	278	269	260	251	242	233	224	215	206	197	188	179	170	161	152
576	567	558	549	540	531	522	513	504	495	486	477	468	459	450	441	288	279	270	261	252	243	234	225	216	207	198	189	180	171	162	153

INPUTS
 NV8576-Plus, Frame 1, Connector Numbers—SDI + TDM
 (as seen from the rear of the frame)

433-576																145-288															
64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33
MONITOR - OUT																															
MONITOR - IN																															
569	560	551	542	533	524	515	506	497	488	479	470	461	452	443	434	281	272	263	254	245	236	227	218	209	200	191	182	173	164	155	146
570	561	552	543	534	525	516	507	498	489	480	471	462	453	444	435	282	273	264	255	246	237	228	219	210	201	192	183	174	165	156	147
571	562	553	544	535	526	517	508	499	490	481	472	463	454	445	436	283	274	265	256	247	238	229	220	211	202	193	184	175	166	157	148
572	563	554	545	536	527	518	509	500	491	482	473	464	455	446	437	284	275	266	257	248	239	230	221	212	203	194	185	176	167	158	149
573	564	555	546	537	528	519	510	501	492	483	474	465	456	447	438	285	276	267	258	249	240	231	222	213	204	195	186	177	168	159	150
574	565	556	547	538	529	520	511	502	493	484	475	466	457	448	439	286	277	268	259	250	241	232	223	214	205	196	187	178	169	160	151
575	566	557	548	539	530	521	512	503	494	485	476	467	458	449	440	287	278	269	260	251	242	233	224	215	206	197	188	179	170	161	152
576	567	558	549	540	531	522	513	504	495	486	477	468	459	450	441	288	279	270	261	252	243	234	225	216	207	198	189	180	171	162	153

Legend:
 --- video port number
 xxx --- audio port range
 yy-zz

		289-432																1-144															
		32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
MONITOR - OUT	MONITOR - IN	424	415	406	397	388	379	370	361	352	343	334	325	316	307	298	289	136	127	118	109	100	91	82	73	64	55	46	37	28	19	10	1
		425	416	407	398	389	380	371	362	353	344	335	326	317	308	299	290	137	128	119	110	101	92	83	74	65	56	47	38	29	20	11	2
		426	417	408	399	390	381	372	363	354	345	336	327	318	309	300	291	138	129	120	111	102	93	84	75	66	57	48	39	30	21	12	3
		427	418	409	400	391	382	373	364	355	346	337	328	319	310	301	292	139	130	121	112	103	94	85	76	67	58	49	40	31	22	13	4
		428	419	410	401	392	383	374	365	356	347	338	329	320	311	302	293	140	131	122	113	104	95	86	77	68	59	50	41	32	23	14	5
		429	420	411	402	393	384	375	366	357	348	339	330	321	312	303	294	141	132	123	114	105	96	87	78	69	60	51	42	33	24	15	6
		430	421	412	403	394	385	376	367	358	349	340	331	322	313	304	295	142	133	124	115	106	97	88	79	70	61	52	43	34	25	16	7
		431	422	413	404	395	386	377	368	359	350	341	332	323	314	305	296	143	134	125	116	107	98	89	80	71	62	53	44	35	26	17	8
		432	423	414	405	396	387	378	369	360	351	342	333	324	315	306	297	144	135	126	117	108	99	90	81	72	63	54	45	36	27	18	9

Legend:
 --- video port number
 xxx --- audio port range
 yy-zz

OUTPUTS

NV8576-Plus, Frame 1, Connector Numbers—SDI
 (as seen from the rear of the frame)

		289-432																1-144															
		32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
MONITOR - OUT	MONITOR - IN	424	415	406	397	388	379	370	361	352	343	334	325	316	307	298	289	136	127	118	109	100	91	82	73	64	55	46	37	28	19	10	1
		425	416	407	398	389	380	371	362	353	344	335	326	317	308	299	290	137	128	119	110	101	92	83	74	65	56	47	38	29	20	11	2
		426	417	408	399	390	381	372	363	354	345	336	327	318	309	300	291	138	129	120	111	102	93	84	75	66	57	48	39	30	21	12	3
		427	418	409	400	391	382	373	364	355	346	337	328	319	310	301	292	139	130	121	112	103	94	85	76	67	58	49	40	31	22	13	4
		428	419	410	401	392	383	374	365	356	347	338	329	320	311	302	293	140	131	122	113	104	95	86	77	68	59	50	41	32	23	14	5
		429	420	411	402	393	384	375	366	357	348	339	330	321	312	303	294	141	132	123	114	105	96	87	78	69	60	51	42	33	24	15	6
		430	421	412	403	394	385	376	367	358	349	340	331	322	313	304	295	142	133	124	115	106	97	88	79	70	61	52	43	34	25	16	7
		431	422	413	404	395	386	377	368	359	350	341	332	323	314	305	296	143	134	125	116	107	98	89	80	71	62	53	44	35	26	17	8
		432	423	414	405	396	387	378	369	360	351	342	333	324	315	306	297	144	135	126	117	108	99	90	81	72	63	54	45	36	27	18	9

INPUTS

NV8576-Plus, Frame 1, Connector Numbers—SDI
 (as seen from the rear of the frame)

433-576																145-288															
64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33
568	559	550	541	532	523	514	505	496	487	478	469	460	451	442	433	280	271	262	253	244	235	226	217	208	199	190	181	172	163	154	145
569	560	551	542	533	524	515	506	497	488	479	470	461	452	443	434	281	272	263	254	245	236	227	218	209	200	191	182	173	164	155	146
570	561	552	543	534	525	516	507	498	489	480	471	462	453	444	435	282	273	264	255	246	237	228	219	210	201	192	183	174	165	156	147
571	562	553	544	535	526	517	508	499	490	481	472	463	454	445	436	283	274	265	256	247	238	229	220	211	202	193	184	175	166	157	148
572	563	554	545	536	527	518	509	500	491	482	473	464	455	446	437	284	275	266	257	248	239	230	221	212	203	194	185	176	167	158	149
573	564	555	546	537	528	519	510	501	492	483	474	465	456	447	438	285	276	267	258	249	240	231	222	213	204	195	186	177	168	159	150
574	565	556	547	538	529	520	511	502	493	484	475	466	457	448	439	286	277	268	259	250	241	232	223	214	205	196	187	178	169	160	151
575	566	557	548	539	530	521	512	503	494	485	476	467	458	449	440	287	278	269	260	251	242	233	224	215	206	197	188	179	170	161	152
576	567	558	549	540	531	522	513	504	495	486	477	468	459	450	441	288	279	270	261	252	243	234	225	216	207	198	189	180	171	162	153

INPUTS

NV8576-Plus, Frame 1, Connector Numbers—SDI
 (as seen from the rear of the frame)

433-576																145-288																
64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	
568	559	550	541	532	523	514	505	496	487	478	469	460	451	442	433	280	271	262	253	244	235	226	217	208	199	190	181	172	163	154	145	
569	560	551	542	533	524	515	506	497	488	479	470	461	452	443	434	281	272	263	254	245	236	227	218	209	200	191	182	173	164	155	146	
570	561	552	543	534	525	516	507	498	489	480	471	462	453	444	435	282	273	264	255	246	237	228	219	210	201	192	183	174	165	156	147	
571	562	553	544	535	526	517	508	499	490	481	472	463	454	445	436	283	274	265	256	247	238	229	220	211	202	193	184	175	166	157	148	
572	563	554	545	536	527	518	509	500	491	482	473	464	455	446	437	284	275	266	257	248	239	230	221	212	203	194	185	176	167	158	149	
573	564	555	546	537	528	519	510	501	492	483	474	465	456	447	438	285	276	267	258	249	240	231	222	213	204	195	186	177	168	159	150	
574	565	556	547	538	529	520	511	502	493	484	475	466	457	448	439	286	277	268	259	250	241	232	223	214	205	196	187	178	169	160	151	
575	566	557	548	539	530	521	512	503	494	485	476	467	458	449	440	287	278	269	260	251	242	233	224	215	206	197	188	179	170	161	152	
576	567	558	549	540	531	522	513	504	495	486	477	468	459	450	441	288	279	270	261	252	243	234	225	216	207	198	189	180	171	162	153	

OUTPUTS

Legend:
 --- video port number
 xxx --- audio port range
 yy-zz